



Product	Slat material	Slat finish	Leg material	Leg finish	Quantity		
					£'s each 1 - 5 no.	£'s each 6 - 10 no.	£'s each 11 no. +
<b>Benches and seats</b>							
Bexley bench without back							
with armrests	FSC softwood	Natural	Mild steel	Galvanized	236	227	206
with armrests	FSC iroko hardwood	Natural	Mild steel	Galvanized	349	337	299
with armrests	FSC iroko hardwood	Natural	Stainless steel	Brushed	514	491	446
with armrests	Mild steel	Galvanized	Mild steel	Galvanized	381	364	328
Bexley seat with back							
with armrests	FSC softwood	Natural	Mild steel	Galvanized	307	293	267
with armrests	FSC iroko hardwood	Natural	Mild steel	Galvanized	526	502	453
with armrests	FSC iroko hardwood	Natural	Stainless steel	Brushed	785	751	683
with armrests	Mild steel	Galvanized	Mild steel	Galvanized	626	594	543
Camberley bench without back							
with armrests	FSC softwood	Natural	Mild steel	Galvanized	533	509	451
with armrests	FSC iroko hardwood	Natural	Mild steel	Galvanized	731	671	633
without armrests	FSC softwood	Natural	Mild steel	Galvanized	356	321	290
without armrests	FSC iroko hardwood	Natural	Mild steel	Galvanized	427	407	377
Camberley seat with back							
with armrests	FSC softwood	Natural	Mild steel	Galvanized	676	647	588
with armrests	FSC iroko hardwood	Natural	Mild steel	Galvanized	882	843	766
Carleton bench without back							
without armrests	FSC softwood	Natural	Mild steel	Galvanized	207	197	185
without armrests	FSC iroko hardwood	Natural	Mild steel	Galvanized	288	276	251
Cheltenham bench without back							
with armrests	FSC softwood	Natural	Mild steel	Galvanized	517	495	450
with armrests	FSC iroko hardwood	Natural	Mild steel	Galvanized	629	600	543
with armrests	FSC iroko hardwood	Natural	Stainless steel	Brushed	910	871	792
Cheltenham seat with back							
with armrests	FSC softwood	Natural	Mild steel	Galvanized	662	633	575
with armrests	FSC iroko hardwood	Natural	Mild steel	Galvanized	794	758	690
with armrests	FSC iroko hardwood	Natural	Stainless steel	Brushed	971	928	844

**Prices exclude:-**

Delivery, off-loading and VAT, which will be added at the prevailing rate.

**Prices include:-**

Supplied fully assembled.

Seats and benches are supplied with a 15 year guarantee.

**FSC treated softwood seating**

FSC joinery quality European redwood, Wolmanit CX treated for a minimum 30 years in-ground contact.

**FSC iroko hardwood seating**

FSC or legally verified iroko hardwood from sustainable sources. Life expectancy in excess of 40 years.

**Standard timber finish**

Timber will be supplied in a natural finish.

**Optional timber finish**

Timber can be supplied with 3 coats of Ronseal quick drying, water based stain. POA.

**Standard stain colour**

The standard stain colour will be teak. POA.

**Optional stain colours**

Other colours are available upon request. POA.

**Standard mild steel finish**

Mild steel will be hot dip galvanized.

**Optional mild steel finish**

Mild steel can be polyester powder coated.

The standard colour is RAL 9005 black. POA.

**Optional colours**

Other RAL colours are available on request. POA.

**Standard stainless steel finish**

Stainless steel will have a brushed finish.

**Optional stainless steel finish**

Stainless steel can be supplied with a polished finish. POA.


**Sizes**

*(all other plan sizes available to order)*

Unless otherwise stated, all benches and seats are 1800mm long. Longer benches and seats can be manufactured in sections and delivered for assembly on site.

**Installation**

Benches and seats are available for above or below ground installation.



above ground installation

below ground installation



Registered in England.  
Registered No.: 2052397.  
FSC License No.: FSC-C004773.  
FSC Cert No.: TT-COC-002561.  
Street Design Limited is an ISO 9001:2008 registered company.  
VAT No.: 439 3358 29.

# Seating

## Price List

E311



# Street Design

established 1986

					Quantity		
					£'s each	£'s each	£'s each
					1 - 5 no.	6 - 10 no.	11 no. +

### Benches and seats *continued*

Danbury bench without back							
without armrests	FSC softwood	Natural	FSC softwood	Natural	298	285	260
Danbury seat with back							
without armrests	FSC softwood	Natural	FSC softwood	Natural	334	319	290
Epsom bench without back							
without armrests	FSC iroko hardwood	Natural	Mild steel	Galvanized	507	493	436
with armrests	FSC iroko hardwood	Natural	Mild steel	Galvanized	803	776	715
Epsom seat with back							
with armrests	FSC iroko hardwood	Natural	Mild steel	Galvanized	1111	1063	966
Farnham bench without back							
without armrests	FSC softwood	Natural	Mild steel	Galvanized	341	327	297
without armrests	FSC iroko hardwood	Natural	Mild steel	Galvanized	675	539	500
without armrests	FSC iroko hardwood	Natural	Stainless steel	Brushed	711	682	619
with armrests	FSC softwood	Natural	Mild steel	Galvanized	385	369	335
with armrests	FSC iroko hardwood	Natural	Mild steel	Galvanized	659	628	568
with armrests	FSC iroko hardwood	Natural	Stainless steel	Brushed	751	718	653
Farnham seat with back							
with armrests	FSC softwood	Natural	Mild steel	Galvanized	552	528	480
with armrests	FSC iroko hardwood	Natural	Mild steel	Galvanized	984	942	856
with armrests	FSC iroko hardwood	Natural	Stainless steel	Brushed	1147	1090	998
Henley bench without back							
without armrests	FSC softwood	Natural	Mild steel	Galvanized	215	206	187
with armrests	FSC softwood	Natural	Mild steel	Galvanized	225	215	196
with armrests	FSC iroko hardwood	Natural	Mild steel	Galvanized	328	312	281
with armrests	FSC iroko hardwood	Natural	Stainless steel	Brushed	487	466	424
Henley seat with back							
with armrests	FSC softwood	Natural	Mild steel	Galvanized	291	278	254
with armrests	FSC iroko hardwood	Natural	Mild steel	Galvanized	499	476	429
with armrests	FSC iroko hardwood	Natural	Stainless steel	Brushed	746	714	649

#### Prices exclude:-

Delivery, off-loading and VAT, which will be added at the prevailing rate.

#### Prices include:-

Supplied fully assembled.

Seats and benches are supplied with a 15 year guarantee.

#### FSC treated softwood seating

FSC joinery quality European redwood, Wolmanit CX treated for a minimum 30 years in-ground contact.

#### FSC iroko hardwood seating

FSC or legally verified iroko hardwood from sustainable sources. Life expectancy in excess of 40 years.

#### Standard timber finish

Timber will be supplied in a natural finish.

#### Optional timber finish

Timber can be supplied with 3 coats of Ronseal quick drying, water based stain. POA.

#### Standard stain colour

The standard stain colour will be teak. POA.

#### Optional stain colours

Other colours are available upon request. POA.

#### Standard mild steel finish

Mild steel will be hot dip galvanized.

#### Optional mild steel finish

Mild steel can be polyester powder coated.

The standard colour is RAL 9005 black POA.

#### Optional colours

Other RAL colours are available on request. POA.

#### Standard stainless steel finish

Stainless steel will have a brushed finish.

#### Optional stainless steel finish

Stainless steel can be supplied with a polished finish. POA.

#### Sizes

(all other plan sizes available to order)

Unless otherwise stated, all benches and seats are 1800mm long. Longer benches and seats can be manufactured in sections and delivered for assembly on site.

#### Installation


Benches and seats are available for above or below ground installation.




The mark of responsible forestry



Registered in England.  
Registered No.: 2052397.  
FSC License No.: FSC-C004773.  
FSC Cert No.: TT-COC-002561.  
Street Design Limited is an ISO 9001:2008 registered company.  
VAT No.: 439 3358 29.



above ground installation



below ground installation

# Seating

## Price List

E311



# Street Design

established 1986

Product	Slat material	Slat finish	Leg material	Leg finish	Quantity		
					£'s each 1 - 5 no.	£'s each 6 - 10 no.	£'s each 11 no. +
<b>Benches and seats <i>continued</i></b>							
Kingsbury bench without back							
with armrests	FSC softwood	Natural	Mild steel	Galvanized	544	520	473
with armrests	FSC iroko hardwood	Natural	Mild steel	Galvanized	704	671	608
Kingsbury seat with back							
with armrests	FSC softwood	Natural	Mild steel	Galvanized	940	899	817
with armrests	FSC iroko hardwood	Natural	Mild steel	Galvanized	1170	1117	1015
Longfield bench without back							
without armrests	FSC softwood	Natural	Mild steel	Galvanized	563	537	500
without armrests	Mild steel	Galvanized	Mild steel	Galvanized	684	653	593
with armrests	FSC softwood	Natural	Mild steel	Galvanized	886	836	758
with armrests	Mild steel	Galvanized	Mild steel	Galvanized	997	958	878
Longfield seat with back							
with armrests	FSC softwood	Natural	Mild steel	Galvanized	1296	1241	1127
with armrests	Mild steel	Galvanized	Mild steel	Galvanized	1386	1326	1205
Midhurst bench without back							
without armrests	FSC softwood	Natural	Mild steel	Galvanized	300	281	270
without armrests	FSC iroko hardwood	Natural	Mild steel	Galvanized	403	392	370
with armrests	FSC softwood	Natural	Mild steel	Galvanized	416	400	371
with armrests	FSC iroko hardwood	Natural	Mild steel	Galvanized	542	527	505
Midhurst seat with back							
with armrests	FSC softwood	Natural	Mild steel	Galvanized	622	595	541
with armrests	FSC iroko hardwood	Natural	Mild steel	Galvanized	858	820	746
Oldham bench without back							
without armrests	FSC softwood	Natural	Mild steel	Galvanized	411	392	357
without armrests	FSC iroko hardwood	Natural	Mild steel	Galvanized	544	508	489
Oldham seat with back							
with armrests	FSC softwood	Natural	Mild steel	Galvanized	980	896	804
with armrests	FSC iroko hardwood	Natural	Mild steel	Galvanized	1240	1156	1064

### Prices exclude:-

Delivery, off-loading and VAT, which will be added at the prevailing rate.

### Prices include:-

Supplied fully assembled.

Seats and benches are supplied with a 15 year guarantee.

### FSC treated softwood seating

FSC joinery quality European redwood, Wolmanit CX treated for a minimum 30 years in-ground contact.

### FSC iroko hardwood seating

FSC or legally verified iroko hardwood from sustainable sources. Life expectancy in excess of 40 years.

### Standard timber finish

Timber will be supplied in a natural finish.

### Optional timber finish

Timber can be supplied with 3 coats of Ronseal quick drying, water based stain. POA.

### Standard stain colour

The standard stain colour will be teak. POA.

### Optional stain colours

Other colours are available upon request. POA.

### Standard mild steel finish

Mild steel will be hot dip galvanized.

### Optional mild steel finish

Mild steel can be polyester powder coated.

The standard colour is RAL 9005 black. POA.

### Optional colours

Other RAL colours are available on request. POA.

### Standard stainless steel finish

Stainless steel will have a brushed finish.

### Optional stainless steel finish

Stainless steel can be supplied with a polished finish. POA.

### Sizes

(all other plan sizes available to order)

Unless otherwise stated, all benches and seats are 1800mm long. Longer benches and seats can be manufactured in sections and delivered for assembly on site.

### Installation


Benches and seats are available for above or below ground installation.



The mark of responsible forestry



Registered in England.  
Registered No.: 2052397.  
FSC License No.: FSC-C004773.  
FSC Cert No.: TT-COC-002561.  
Street Design Limited is an ISO 9001:2008 registered company.  
VAT No.: 439 3358 29.



above ground installation

below ground installation



Quantity		
£'s each 1 - 5 no.	£'s each 6 - 10 no.	£'s each 11 no. +

Benches and seats *continued*

Rochford bench without back							
without armrests	FSC softwood	Natural	FSC softwood	Natural	392	374	342
without armrests	FSC iroko hardwood	Natural	FSC iroko hw	Natural	745	713	649
Skye bench without back							
without armrests	FSC softwood	Natural	Mild steel	Galvanized	605	588	550
without armrests	FSC iroko hardwood	Natural	Mild steel	Galvanized	802	765	720
Snowdon bench without back							
with armrests	Granite	Polished	Mild steel	Galvanized	632	609	562
Snowdon seat with back							
with armrests	Granite	Polished	Mild steel	Galvanized	903	864	785
Spalding bench without back							
without armrests	FSC softwood	Natural	Mild steel	Galvanized	517	502	490
without armrests	FSC iroko hardwood	Natural	Mild steel	Galvanized	794	756	734
Studio bench without back							
with armrests	FSC softwood	Natural	Mild steel	Galvanized	1165	1135	1106
with armrests	FSC iroko hardwood	Natural	Mild steel	Galvanized	1309	1275	1243
with armrests	FSC iroko hardwood	Natural	Stainless steel	Brushed	1471	1433	1397

Curved benches

Bexley bench without back

with armrests	FSC softwood	Natural	Mild steel	Galvanized	490	466	454
with armrests	FSC iroko hardwood	Natural	Mild steel	Galvanized	755	717	698
with armrests	FSC iroko hardwood	Natural	Stainless steel	Brushed	861	815	794

Kingsbury bench without back

with armrests	FSC softwood	Natural	Mild steel	Galvanized	722	691	630
with armrests	FSC iroko hardwood	Natural	Mild steel	Galvanized	853	815	774

Oldham bench without back

without armrests	FSC softwood	Natural	Mild steel	Galvanized	608	586	552
without armrests	FSC iroko hardwood	Natural	Mild steel	Galvanized	880	836	814

Prices exclude:-

Delivery, off-loading and VAT, which will be added at the prevailing rate.

Prices include:-

Supplied fully assembled.

Seats and benches are supplied with a 15 year guarantee.

FSC treated softwood seating

FSC joinery quality European redwood, Wolmanit CX treated for a minimum 30 years in-ground contact.

FSC iroko hardwood seating

FSC or legally verified iroko hardwood from sustainable sources. Life expectancy in excess of 40 years.

Standard timber finish

Timber will be supplied in a natural finish.

Optional timber finish

Timber can be supplied with 3 coats of Ronseal quick drying, water based stain. POA.

Standard stain colour

The standard stain colour will be teak. POA.

Optional stain colours

Other colours are available upon request. POA.

Standard mild steel finish

Mild steel will be hot dip galvanized.

Optional mild steel finish

Mild steel can be powder coated. The standard colour is RAL 9005 black. POA.

Optional colours

Other RAL colours are available on request. POA.

Standard stainless steel finish

Stainless steel will have a brushed finish.

Optional stainless steel finish

Stainless steel can be supplied with a polished finish. POA.

Sizes

(all other plan sizes available to order)

Unless otherwise stated, all benches and seats are 1800mm long. Longer benches and seats can be manufactured in sections and delivered for assembly on site.

Installation


Benches and seats are available for above or below ground installation.




The mark of responsible forestry



Registered in England.  
Registered No.: 2052397.  
FSC License No.: FSC-C004773.  
FSC Cert No.: TT-COC-002561.  
Street Design Limited is an ISO 9001:2008 registered company.  
VAT No.: 439 3358 29.



above ground installation



below ground installation



					Quantity		
					£'s each	£'s each	£'s each
					1 - 5 no.	6 - 10 no.	11 no. +

### Curved benches *continued*

Rochford bench without back							
without armrests	FSC softwood	Natural	FSC softwood	Natural	689	664	654
without armrests	FSC iroko hardwood	Natural	FSC hardwood	Natural	1084	1029	1001
Spalding bench without back							
without armrests	FSC softwood	Natural	Mild steel	Galvanized	588	570	558
without armrests	FSC iroko hardwood	Natural	Mild steel	Galvanized	902	859	834

### Curved seat

Kingsbury							
with armrests	FSC softwood	Natural	Mild steel	Galvanized	1049	1002	951
with armrests	FSC iroko hardwood	Natural	Mild steel	Galvanized	1273	1216	1107

### Picnic Tables and benches

Rochford							
Bench	FSC softwood	Natural	FSC softwood	Natural	274	262	239
Table	FSC softwood	Natural	FSC softwood	Natural	548	524	471
Bench	FSC iroko hardwood	Natural	FSC hardwood	Natural	521	499	454
Table	FSC iroko hardwood	Natural	FSC hardwood	Natural	1043	998	909
Skye							
Bench	FSC softwood	Natural	Mild steel	Galvanized	424	411	385
Table	FSC softwood	Natural	Mild steel	Galvanized	847	823	770
Bench	FSC iroko hardwood	Natural	Mild steel	Galvanized	561	535	505
Table	FSC iroko hardwood	Natural	Mild steel	Galvanized	1122	1071	1008
Woolaton							
Bench and table unit	FSC softwood	Natural	FSC softwood	Natural	601	576	524
Bench and table unit	FSC iroko hardwood	Natural	FSC softwood	Natural	1082	1036	944

both units are available with disabled access

#### Prices exclude:-

Delivery, off-loading and VAT, which will be added at the prevailing rate.

#### Prices include:-

Supplied fully assembled.

Seats and benches are supplied with a 15 year guarantee.

#### FSC treated softwood seating

FSC joinery quality European redwood,

Wolmanit CX treated for a minimum 30 years in-ground contact.

#### FSC iroko hardwood seating

FSC or legally verified iroko hardwood from sustainable sources. Life expectancy in excess of 40 years.

#### Standard timber finish

Timber will be supplied in a natural finish.

#### Optional timber finish

Timber can be supplied with 3 coats of Ronseal quick drying, water based stain. POA.

#### Standard stain colour

The standard stain colour will be teak. POA.

#### Optional stain colours

Other colours are available upon request. POA.

#### Standard mild steel finish

Mild steel will be hot dip galvanized.

#### Optional mild steel finish

Mild steel can be polyester powder coated. The standard colour is RAL 9005 black. POA.

#### Optional colours

Other RAL colours are available on request. POA.

#### Standard stainless steel finish

Stainless steel will have a brushed finish.

#### Optional stainless steel finish

Stainless steel can be supplied with a polished finish. POA.

#### Sizes

(all other plan sizes available to order)


Unless otherwise stated, all benches and seats are 1800mm long. Longer benches and seats can be manufactured in sections and delivered for assembly on site.

#### Installation


Benches and seats are available for above or below ground installation.



Registered in England.  
Registered No.: 2052397.  
FSC License No.: FSC-C004773.  
FSC Cert No.: TT-COC-002561.  
Street Design Limited is an ISO 9001:2008 registered company.  
VAT No.: 439 3358 29.



above ground installation



below ground installation